

Close Rack Series

HaganeRack fully adheres to the excellent quality and reliability standards of the International, Compatible to every IT Equipment & Devices, Manufactured with All-steel built, Easy installation rack server, Easy organization and maintenance cables & equipment, Provides excellent airflow. Specially for Big/Macro Devices & Equipment. Seamlessly integrates important rack accessories such as Rack PDUs & Cable Management



Standard Close Rack Max. Load 800KG Heavy Duty Max. Load 1500KG




Warranty 5 Years for Electrical Parts



Easy to Install only use screwdriver




Excellent Fan Airflow



Compatible to every IT Equipment & Device


	Standard Close Rack 600mm & 800mm	Heavy Duty Close Rack 600mm & 800mm
Static Load	800kg	1500kg
Equipment & Mounting Rails	Up To 19" Device / 19" Equipment	Up To 19" Device / 19" Equipment
Door Perforation	80%	80%
Shelf	Fixed Shelf (1) Unit	Fixed Shelf (1) Unit
	Sliding Shelf (Optional)	Sliding Shelf (Optional)
Front Door	Perforated/Tempered Glass	Perforated/Tempered Glass
Rear Door	Perforated/Tempered Glass	Perforated/Tempered Glass
Side Door	Perforated	Full Cover
Top Plate	1 Entry Cable + 4 Fan Modular	5 Entry Cable + 4 Fan Modular
Bottom Plate	2 Entry Cable + Middle Grommet Spot	2 Entry Cable + Middle Grommet Spot
Locking	Handle Lock at Front Door & Rear Door	Handle Lock at Front Door & Rear Door
Power Distribution Unit	7 Outlets (16U, 18U, 20U, 22U, 28U)	7 Outlets (16U, 18U, 20U, 22U, 28U)
	12 Outlets (32U, 42U, 45U, 48U)	12 Outlets (32U, 42U, 45U, 48U)
Casters & Adjustable Feets	4 Casters + 4 Adjustable Feets	4 Casters + 4 Adjustable Feets
Warranty	5 Years Electrical Parts	5 Years Electrical Parts

Close Rack Perforated Door



Structure Rack:


- Mounting 19" can be compatible to all IT equipment & device
- Precisely metric system



Side Door:

- Provides excellent airflow
- Toolless installation
- Easy install & re-install
- Side door with lock & push-pull latches





Security Lock:


- Safe security handle lock
- Push system to open



Vented Front & Rear Door:

- Single mesh front door & Rear split door
- 80% perforation
- Wave bend door model
- Hexagonal perforated style

Close Rack Glass Door



Structure Rack:

- Mounting 19" can be compatible to all IT equipment & device
- Precisely metric system



Side Door:


- Provides excellent airflow
- Toolless installation
- Easy install & re-install
- Side door with lock & push-pull latches





Security Lock:


- Safe security handle lock
- Push system to open



Vented Front & Rear Door:

- Single Tempered Glass & Rear split door
- Edge vented front door
- Wave bend rear door
- Hexagonal perforated style

Heavy Duty Series



Structure Rack:

- Mounting 19" can be compatible to all IT equipment & device
- Precisely metric system



2 Half Split Side Door:


- Toolless installation
- Easy install & re-install
- Side door with lock & push-pull latches





Security Lock:

- Safe security handle lock
- Push system to open
- Unique Key System



Vented Front & Rear Door:

- Single mesh front door & Rear split door
- 80% perforation
- Wave bend door model
- Hexagonal perforated style

Wallmount Supreme Series

HaganeRack Wallmount Rack fully adheres to the excellent quality and reliability standards of the International, Compatible to every IT Equipment & Devices, Manufactured with All-steel built, Specially for Small/Micro Devices & Equipment.




Max. Load 60KG




Warranty 5 Years for Electrical Parts



Easy to Install only use screwdriver




Easy to Install Wallmounted with dynabolt



Compatible to every IT Equipment & Device


	Wallmount Rack Single Door	Wallmount Rack Double Door
Static Load	60kg	60kg
Equipment & Mounting Rails	Up To 19" Device / 19" Equipment	Up To 19" Device / 19" Equipment
Edge Perforation	Yes	Yes
Shelf	Support Angle (1 Set) Included Fixed Shelf (Optional) Sliding Shelf (Optional)	Support Angle (1 Set) Included Fixed Shelf (Optional) Sliding Shelf (Optional)
Front Door	Tempered Glass	Tempered Glass
Rear Door	No	Yes
Side Door	Perforated	Perforated
Top Plate	1 Entry Cable + 1 Fan	1 Entry Cable + 1 Fan
Bottom Plate	1 Entry Cable + 1 Fan (Optional)	1 Entry Cable + 1 Fan (Optional)
Locking	Handle Lock at Front Door	Handle Lock at Front Door & Rear Door
Power Distribution Unit	7 Outlets Surge Protector	7 Outlets Surge Protector
Casters & Adjustable Feets	No	No
Warranty	5 Years Electrical Parts	5 Years Electrical Parts

Wallmount Double Door



Structure Rack:

- Mounting 19" can be compatible to all IT equipment & device
- Precisely metric system



Side Perforated Door:

- Toolless installation
- Easy install & re-install
- Side door with lock & push-pull latches





Security Lock:

- Safe security handle lock
- Push system to open
- Unique Key System



Front & Rear Door:

- Tempered glass door
- 180 degree open
- Rear door can be open

Wallmount Single Door




Brush Panel & Fan:

- Brush panel entry cable for easy management cabling
- Prevent dust inside
- Excellent airflow

Side Perforated Door: • Toolless installation

- Easy install & re-install
- Side door with lock & push-pull





Structure Rack:

- Mounting 19" can be compatible to all IT equipment & device
- Precisely metric system



Security Lock:

- Safe security handle lock
- Push system to open
- Unique Key System



Front & Rear Door:

- Tempered glass door
- 180 degree open

Wallmount Project Series

HaganeRack fully adheres to the excellent quality and reliability standards of the International, Compatible to every IT Equipment & Devices, Manufactured with All-steel built, Easy installation rack server, Easy organization and maintenance cables & equipment, Provides excellent airflow. Seamlessly integrates important rack accessories such as Rack PDUs & Cable Managers




Max. Load 60KG



Warranty 5 Years for Electrical Parts




Easy to Install only use screwdriver



No

5 Years Electrical Parts

Easy to Install Wallmounted with dynabolt



Casters & Adjustable Feets

Warranty

Compatible to every IT Equipment & Device

Wallmount Rack Single Door



Static Load 60kg Up To 19" Device / 19" Equipment **Equipment & Mounting Rails Edge Perforation** Yes Support Angle (1 Set) Included Fixed Shelf (Optional) Shelf Sliding Shelf (Optional) Tempered Glass Front Door No Rear Door Perforated Side Door 1 Entry Cable + 1 Fan Top Plate 1 Entry Cable + 1 Fan (Optional) **Bottom Plate** Handle Lock at Front Door Locking Power Distribution Unit 7 Outlets Surge Protector

Wallmount Project Series

Brush Panel & Fan:

- Brush panel entry cable for easy management cabling
- Prevent dust inside
- Excellent airflow








Side Door:

- Toolless installation
- Easy install & re-install
- Side door with lock & push-pull latches

Structure Rack:

- Mounting 19" can be compatible to all IT equipment & device
- Precisely metric system



Security Lock:

• Safe security cylinder lock



Front & Rear Door:

- Tempered glass door
- 180 degree open
- Flat model